

**Art. No.: 31923**

**New Article**

**Product Group : 16**

**Subgroup : 06**

**Standards :**

UL 512

CSA C22.2 No. 39

**Approvals :**

GOST, UL (approved for feeder circuits to UL 508A up to 600 V)

Type No.: AJC 60

Duty Tariff No.: 8536 30 30

UL File Number: E230163, Category: IZLT, [www.ul.com](http://www.ul.com)

**Mechanical Data :**

Width x Height x Depth (mm): 40 x 118 x 82

Weight (kg/100): 18,2

**Connections :**

box terminal :

6 - 50 mm<sup>2</sup> / AWG 10 - AWG 1

flexible cables, directly or with wire-end ferrule

Md 3,5 - 4,0 Nm / 31 - 35 lb.in.

(flexible cables of maximum cross-section may not fit when using wire-end ferrule)

**Pack Size : 6**

**Catalog 2006 :**

Page: 6/12


Wöhner reserves the right to make modifications to its components, as the result of developments and technical advances.

**Accessories to Article 31923 :**

kein Produktbild verfügbar  no picture available	31360 fuse link 35 A, time delay 600 V AC, 500 V DC
kein Produktbild verfügbar  no picture available	31361 fuse link 40 A, time delay 600 V AC, 500 V DC
kein Produktbild verfügbar  no picture available	31362 fuse link 45 A, time delay 600 V AC, 500 V DC
kein Produktbild verfügbar  no picture available	31363 fuse link 50 A, time delay 600 V AC, 500 V DC
kein Produktbild verfügbar  no picture available	31364 fuse link 60 A, time delay 600 V AC, 500 V DC
kein Produktbild verfügbar  no picture available	31511 fuse link 35 A, fast acting 600 V AC, 300 V DC
kein Produktbild verfügbar  no picture available	31512 fuse link 40 A, fast acting 600 V AC, 300 V DC

Wöhner reserves the right to make modifications to its components, as the result of developments and technical advances.

**Accessories to Article 31923 :**



31513 fuse link 45 A, fast acting  
600 V AC, 300 V DC



31514 fuse link 50 A, fast acting  
600 V AC, 300 V DC



31515 fuse link 60 A, fast acting  
600 V AC, 300 V DC



31939 label for AES  
100x 10 pcs.